## List of Contents


**NUMBER 1**

| | | |
|---|---|---|
| **M. Václavík** | 1 | Würdigung zum 70. Geburtstag von Prof. Dr.-Ing. habil. Kurt Luck |
| **D.-Z. Chen, C.-P. Liu** and **D.-W. Duh** | 3 | On the conceptual design of redundant-drive backlash-free geared robot manipulators |
| **H.-S. Yan** and **T.-Y. Lin** | 15 | A study on ancient Chinese time laws and the time-telling system of Su Song's clock tower |
| **C.-H. Chen** | 35 | Kinemato-geometrical methodology for analyzing curvature and torsion of trajectory curve and its applications |
| **Y. Yu, N. Naganathan** and **R. Dukkipati** | 49 | Preisach modeling of hysteresis for piezoceramic actuator system |
| **A.J. Shih** and **H.-S. Yan** | 61 | Synthesis of a single-loop, overconstrained six revolute joint spatial mechanism for two-position cylindrical rigid body guidance |
| **Y. Yu, Z. Xiao, N.G. Naganathan** and **R.V. Dukkipati** | 75 | Dynamic Preisach modelling of hysteresis for the piezoceramic actuator system |
| **N. Tung Liao** and **J.F. Lin** | 91 | Ball bearing skidding under radial and axial loads |
| **Z. Lan, Z. Huijun** and **L. Liuming** | 115 | Kinematic decomposition of coupler plane and the study on the formation and distribution of coupler curves |
| **J. Brauer** | 127 | Analytical geometry of straight conical involute gears |

**NUMBER 2**

| | | |
|---|---|---|
| **Y.-M. Moon** and **S. Kota** | 143 | Automated synthesis of mechanisms using dual-vector algebra |
| **Y. Michlin** and **V. Myunster** | 167 | Determination of power losses in gear transmissions with rolling and sliding friction incorporated |
| **S.S. Balli** and **S. Chand** | 175 | Transmission angle in mechanisms (Triangle in mech) |
| **J.M. del Castillo** | 197 | The analytical expression of the efficiency of planetary gear trains |
| **P. Gallina** and **G. Rosati** | 215 | Manipulability of a planar wire driven haptic device |

**Z. Huang, J. Wang** and **Y.F. Fang** 229 Analysis of instantaneous motions of deficient-rank 3-RPS parallel manipulators

**NUMBER 3**

**M. Ceccarelli, P. Maurizio Decio Fino** and **J. Manuel Jimenez** 241 Dynamic performance of CaPaMan by numerical simulations

**Q. Jin** and **T. Yang** 267 Overconstraint analysis on spatial 6-link loops

**K. Russell** and **R.S. Sodhi** 279 Kinematic synthesis of RRSS mechanisms for multi-phase motion generation with tolerances

**T.H. Chong, I. Bae** and **G.-J. Park** 295 A new and generalized methodology to design multi-stage gear drives by integrating the dimensional and the configuration design process

**A. Demenego, D. Vecchiato, F.L. Litvin, N. Nervegna** and **S. Mancó** 311 Design and simulation of meshing of a cycloidal pump

**NUMBER 4**

**C.-C. Liu** and **C.-B. Tsay** 333 Contact characteristics of beveloid gears

**D. Chablat** and **J. Angeles** 351 On the kinetostatic optimization of revolute-coupled planar manipulators

**T. Kindermann** and **H. Cruse** 375 MMC – a new numerical approach to the kinematics of complex manipulators

**E. Vareed Thomas** 395 Development of a mechanism for transplanting rice seedlings

**Z. Chang, C. Zhang, Y. Yang** and **Y. Wang** 411 A new method to mechanism kinematic chain isomorphism identification

**E. Söylemez** 419 Classical transmission-angle problem for slider–crank mechanisms

**NUMBER 5**

**M. Ceccarelli** and **G. Carbone** 427 A stiffness analysis for CaPaMan (Cassino Parallel Manipulator)

**F.L. Litvin, A. Fuentes, Q. Fan** and **R.F. Handschuh** 441 Computerized design, simulation of meshing, and contact and stress analysis of face-milled formate generated spiral bevel gears

**B.D. Jensen** and **L.L. Howell** 461 The modeling of cross-axis flexural pivots

| | | |
|---|---|---|
| **N. Lobontiu, J.S.N. Paine, E. Garcia** and **M. Goldfarb** | 477 | Design of symmetric conic-section flexure hinges based on closed-form compliance equations |
| **H. Zhou** and **K.-L. Ting** | 499 | Adjustable slider–crank linkages for multiple path generation |
| **M. Kemal Özgören** | 511 | Topological analysis of 6-joint serial manipulators and their inverse kinematic solutions |
| **A.C. Rao** | 549 | "An artificial neural network approach to mechanism kinematic chain isomorphism identification" by W.J. Zhang [Mechanism and Machine Theory 34 (2) 1999 271–283] |
| **I. Her** | 553 | Book review |

**NUMBER 6**

| | | |
|---|---|---|
| **G. Mantriota** | 555 | Performances of a parallel infinitely variable transmissions with a type II power flow |
| **G. Mantriota** | 579 | Performances of a series infinitely variable transmission with type I power flow |
| **D. Zhang** and **C.M. Gosselin** | 599 | Kinetostatic modeling of parallel mechanisms with a passive constraining leg and revolute actuators |
| **R. Kamra, D. Kohli** and **A.K. Dhingra** | 619 | Forward displacement analysis of a six-dof parallel manipulator actuated by 3R3P and 4R2P chains |
| **Letter to the editor** | 639 | Response to a letter to the editor by Dr. A.C. Rao |

**NUMBER 7**

| | | |
|---|---|---|
| **P. Velex** and **P. Sainsot** | 641 | An analytical study of tooth friction excitations in errorless spur and helical gears |
| **Z. Sun, J. Xu** and **T. Zhou** | 659 | Analysis on complicated characteristics of a high-speed rotor system with rub-impact |
| **W. Zhixing, Y. Hongying, T. Dewei** and **L. Jiansheng** | 673 | Study on rigid-body guidance synthesis of planar linkage |
| **S. Wang, D. Zhan, H. Liu** and **S. Wang** | 685 | Tooth contact analysis of toroidal involute worm mating with involute helical gear |
| **M. Carricato, J. Duffy** and **V. Parenti-Castelli** | 693 | Catastrophe analysis of a planar system with flexural pivots |
| **H. Schreiber, K. Meer** and **B.J. Schmitt** | 717 | Dimensional synthesis of planar Stephenson mechanisms for motion generation using circlepoint search and homotopy methods |

**NUMBER 8**

| | | |
|---|---|---|
| **V. Mata, S. Provenzano, F. Valero** and **J.I. Cuadrado** | 739 | Serial-robot dynamics algorithms for moderately large numbers of joints |
| **H.-S. Yan** and **T.-S. Lai** | 757 | Geometry design of an elementary planetary gear train with cylindrical tooth-profiles |
| **M. Pimsarn** and **K. Kazerounian** | 769 | Efficient evaluation of spur gear tooth mesh load using pseudo-interference stiffness estimation method |
| **C. Han, J. Kim, J. Kim** and **F.C. Park** | 787 | Kinematic sensitivity analysis of the 3-UPU parallel mechanism |
| **C.L. Collins** | 799 | Forward kinematics of planar parallel manipulators in the Clifford algebra of $P^2$ |

**NUMBER 9**

| | | |
|---|---|---|
| **P.A. Simionescu** and **D. Beale** | 815 | Synthesis and analysis of the five-link rear suspension system used in automobiles |
| **Y.-X. Wang** and **H.-S. Yan** | 833 | Computerized rules-based regeneration method for conceptual design of mechanisms |
| **S.S. Balli** and **S. Chand** | 851 | Defects in link mechanisms and solution rectification |
| **S.M. Ibrayev** and **N.K. Jamalov** | 877 | Approximate synthesis of planar Cartesian manipulators with parallel structures |
| **A.L. Schwab, J.P. Meijaard** and **P. Meijers** | 895 | A comparison of revolute joint clearance models in the dynamic analysis of rigid and elastic mechanical systems |
| **C. Lanni, M. Ceccarelli** and **G. Figliolini** | 915 | An analytical design for three circular-arc cams |
| **Z. Hou** and **J.W. Zu** | 925 | Non-linear free oscillations of moving viscoelastic belts |
| **Z. Ye** and **M.R. Smith** | 941 | Synthesis of constant-breadth cam mechanisms |
| **L.X. Cao** and **J. Liu** | 955 | Research on the mapping models and designing methods of variable-ratio chain/belt drives |
| **K. Chen, D.G. Beale** and **D. Wang** | 971 | A new method to determine the base inertial parameters of planar mechanisms |
| **Z. Xianmin, S. Changjian** and **A.G. Erdman** | 985 | Active vibration controller design and comparison study of flexible linkage mechanism systems |

| | | |
|---|---|---|
| **G.N. Raikhman** | 999 | Theory of conjugate surfaces formation by generating lines |
| **S. Prabhakar, A.S. Sekhar** and **A.R. Mohanty** | 1007 | Transient lateral analysis of a slant-cracked rotor passing through its flexural critical speed |

**NUMBER 10**

| | | |
|---|---|---|
| **R. Kluge** and **J. Schröder** | 1021 | Nachruf |
| **G. Patko** and **E. Filemon** | 1023 | In Memoriam: on Professor Dr. István Sályi Jr. |
| **D.C.H. Yang** and **S.-H. Tong** | 1025 | The specific flowrate of deviation function based lobe pumps—derivation and analysis |
| **G. Figliolini** and **J. Angeles** | 1043 | Synthesis of conjugate Geneva mechanisms with curved slots |
| **X.F. Zha** | 1063 | Optimal pose trajectory planning for robot manipulators |
| **G. Ye** and **X.-Y. Ye** | 1087 | A new method for seeking the optimum gear tooth profiles—the theoretical basis of Wildhaber–Novikov gearing |
| **C.-H. Chen** | 1105 | Line conjugation ruled surfaces for representation of instantaneous conjugate motion of one d.o.f. |
| **K. Russell** and **R.S. Sodhi** | 1117 | Instant screw axis point synthesis of the RRSS mechanism |
| **J.E. Baker** | 1127 | Displacement–closure equations of the unspecialised double-Hooke's-joint linkage |
| **J.J. Cervantes-Sánchez** and **H.I. Medellín-Castillo** | 1145 | A robust classification scheme for spherical 4*R* linkages |
| **J.A. Cabrera, A. Simon** and **M. Prado** | 1165 | Optimal synthesis of mechanisms with genetic algorithms |
| **F.L. Litvin, A. Fuentes, C. Zanzi** and **M. Pontiggia** | 1179 | Design, generation, and stress analysis of two versions of geometry of face-gear drives |
| **G. Gilardi** and **I. Sharf** | 1213 | Literature survey of contact dynamics modelling |

**NUMBER 11**

| | | |
|---|---|---|
| **K. Luck** | 1241 | Prof. Dr.-Ing. habil. Willi Rehwald – 85 Jahre |
| **A. Perez** and **J.M. McCarthy** | 1245 | Bennett's linkage and the cylindroid |
| **S.D. Yu** and **W.L. Cleghorn** | 1261 | Dynamic instability analysis of high-speed flexible four-bar mechanisms |

| | | |
|---|---|---|
| **A. Dasgupta** | 1287 | Mobility analysis of certain geometries of a RPSPR kinematic chain |
| **O. Shai** | 1307 | Utilization of the dualism between determinate trusses and mechanisms |
| **O. Company** and **F. Pierrot** | 1325 | Modelling and design issues of a 3-axis parallel machine-tool |
| **G. Gogu** | 1347 | Families of 6R orthogonal robotic manipulators with only isolated and pseudo-isolated singularities |
| **S.K. Ider, M.K. Özgören** and **V. Ay** | 1377 | Trajectory tracking control of robots with flexible links |
| **F. Gao, W. Li, X. Zhao, Z. Jin** and **H. Zhao** | 1395 | New kinematic structures for 2-, 3-, 4-, and 5-DOF parallel manipulator designs |
| **H. Su, C.L. Collins** and **J.M. McCarthy** | 1413 | Classification of RRSS linkages |
| **S.S. Balli** and **S. Chand** | 1435 | Five-bar motion and path generators with variable topology for motion between extreme positions |

**NUMBER 12**

| | | |
|---|---|---|
| **V.T. Portman** and **B.-Z. Sandler** | 1447 | Tripod robot with cylindrically actuated limbs: Structure and kinematics |
| **C.-C. Lin** and **W.-T. Chang** | 1465 | The force transmissivity index of planar linkage mechanisms |
| **P.A. Simionescu** and **D. Beale** | 1487 | Optimum synthesis of the four-bar function generator in its symmetric embodiment: the Ackermann steering linkage |
| **T.S. Todorov** | 1505 | Synthesis of four-bar mechanisms by Freudenstein–Chebyshev |
| **R.J. Bauer** | 1513 | Kinematics and dynamics of a double-gimbaled control moment gyroscope |